

IRSQ 2013 SUPERIOR QUALITY

Winner of the Superior quality statue from IRSQ 2013 Superio Quality Festival

CUSTOMER SATICFACTION 2014

winner of the Customer Satisfaction statue from the Customer Satisfactions Conference 2014



CELEBRITIES INDUSTRY

Winner of the IT Industry's Celebrities statue from the first National Conference of IT Industry's Celebrities

ABOUT US V

The first notion of the Paya industrial group had been started in 1991 by the establishment of PAYASYSTEM Co. By approaching the 3rd millennium, and considering the development of informatics and network industries in the world from one part, and the increasing necessity of the network equipment in the country from the other part, and by taking 10 years of successful experience into account, Paya Co. decided to expand its presence in the industry and work its way in the road of service and self-sufficiency. the efforts resulted in production and distribution of racks & accessories under the brand name of Paya System. The conceptual point of view of the company extra has been rewarded with various successes:

First & only exporter of racks to England, Europe, Africa & Middle East

The products of this company are manufactured and exported for the SY Electronics

Co. in England in OEM (Original Equipment Manufacturer) fashion Nowadays the

US HP Rack production lines have been developed and expanded and have been

manufacturing the similar products with competitively lower prices.

With regard to the need of the IT industry to products with different facilities and with the purpose of avoiding the outflow of foreign currencies in the middle of economic sanctions, the company had started its new production line in 2011.

With a quarter of century of successful experience at its back and by using the most advanced and updated machineries, as well as skillful experts, the company has achieved the manufacturing of the products with qualities superior to those made overseas, under the brand name of HPA (HP ASIA).



Paya Industrial group is active in different fields including:

Rack & Accessories (PAYA System & HP Asia)

Store's Decorations (PAYA Tarho Form)

Modern Storage Systems (Jakoob)

Creativity Boutique (Mergen Studio)

Stores' Furniture & Shelves (Paidar)

The company has 10000 Sq.m of site plant, advanced production line by the Japanese brand "AMADA", Italian electrostatic powder coat finish line, and uses the updated engineering knowledge by more than 400 designers, experts and employees in different units.







Wall Mount

Racks




▶ Wall Mount Racks




4 Units wall mount rack

Depth: 45 cm

H(mm)	W × D(mm)	Order No.	U
230	575 × 450	13102416	4











Particulars:

- ▶ 19 inches' standard
- Framed front door out of glass with switch lock
- Screw & wall plugs added for installation of mount racks
- **8** sets of screws & nuts for installation
- Cable entry from rack's floor & ceiling
 (2 hatches, dimensions: 5x16 cm)
- Potential sliding movement of the adaptors parallel to the depth of the rack
- Anti-scratch sanded electrostatic finish coat


As per the application of the customer:

- Installation of 3/2 ports PS & fans
- Metal reticular door
- Fan

6 Units wall mount rack

Depth: 45 cm / 60 cm

H(mm)	W × D(mm)	Order No.	U
318	532 × 450	13102213	6
318	532×600	13102217	6



6 UNITS









Particulars:

19 inches' standard

Framed front door out of glass with switch lock

One fan

Removable side panels

Side panels equipped with safety locks with push buttons

Cable entry from rack's floor & ceiling

(2 hatches, dimensions: 5x16 cm)

3/2 port PS with switches equipped with earth system

Screw & wall plugs added for installation of mount racks

Potential sliding movement of the adaptors parallel to the depth of the rack

Anti-scratch sanded electrostatic finish coat

As per the application of the customer:

Installation of 3/2 ports PS & fans


Metal reticular door

Fan

9 Units wall mount rack


Depth: 45 cm / 60 cm

H(mm)	$W \times D(mm)$	Order No.	U
450	532×450	13102113	9
450	532×600	13102111	9









Particulars:

- > 19 inches' standard
- Framed front door out of glass with switch lock
- One fan
- Removable side panels
- Side panels equipped with safety locks with push buttons
- Cable entry from rack's floor & ceiling
 - (2 hatches, dimensions: 5x16 cm)
- 3/2 port PS with switches equipped with earth system
- Screw & wall plugs added for installation of mount racks
- Potential sliding movement of the adaptors parallel to the depth of the rack
- Anti-scratch sanded electrostatic finish coat

.....


As per the application of the customer:


- Switch locks on the side panels
- 2nd fan on the racks of 60 cm depth
- Metal reticular door

12 Units wall mount rack

Depth: 60 cm

H(mm)	W × D(mm)	Order No.	U
583	532 × 600	13102310	12











Particulars:

- 19 inches' standard
- Framed front door out of glass with switch lock
- One fan
- Removable side panels
- Side panels equipped with safety locks with push buttons
- Cable entry from rack's floor & ceiling
 - (2 hatches, dimensions: 16*5 cm)
- > 3/2 port PS with switches equipped with earth system
- Screw & wall plugs added for installation of mount racks
- Potential sliding movement of the adaptors parallel to the depth of the rack
- Anti-scratch sanded electrostatic finish coat

As per the application of the customer:

- Switch locks on the side panels
- 2nd fan on the rack
- Wheels installation
- Metal reticular door



Server Racks







Particulars:

- 19 inches' standard
- Framed front door out of glass with switch lock
- One fan
- Removable side panels
- Side panels equipped with safety locks with push buttons
- 3/2 port PS with switches equipped with earth system
- 8 sets of screws & nuts for installation
- Height indicator for easy installation of equipment on adaptors (U indicator)
- Cable entry from rack's floor & ceiling


 (2 hatches, dimensions: 5x16 cm)
- Potential sliding movement of the adaptors parallel to the depth of the rack
- Anti-scratch sanded electrostatic finish coat

As per the application of the customer:

- Switch locks on the side panels
- 2nd fan on the rack
- Lockable Wheels

Depth: 60 cm

H(mm)	W × D(mm)	Order No.	U
583	532 × 600	13101072	12







17 - 24 Units Server Rack


- * Framed front door out of security glass
- Anti-scratch sanded electrostatic finish coat
- Reticular frame in the front door
 (Increasing & enhancing air circulation)
- > 19 inches' standard




- ★ Up to 4 fans installation potential
- Changing fan from the outside of the rack
 (Without the need of uninstalling the equipment inside)
- Simultaneous cable entry from rack's floor & ceiling



- ► ★ Height indicator for easy installation of equipment on adaptors
- (U indicator)
- Cable holder duct
 (In the racks of 100 cm depth)
- 20 full sets of screws & nuts
- Potential sliding movement of the adaptors parallel to the depth of the rack



- Side panels equipped with safety locks with push buttons
- Removable side panels with switch locks
- Metal rear door with switch lock
- Lockable wheel



- ► ★ Multipurpose hatch to the dimension of 30 x 30 cm2
- (in addition to the cable entry hatch) in the rack's floor:
- For transferring more cables, filter installation, unit fan
- installation (increase in air circulation) as per the
- customer needs
- Cable holder duct (racks 100 cm depth)

.....




As per the application of the customer:

- Rear & front reticular metal doors for more air circulation
- Adjustable stands
- Up to 4 fans installation potential

Items marked in the table by a star have cable duct.






Depth: 60 cm / 80 cm / 100 cm





	H(mm)	$W \times D(mm)$	Order No.	U
duct	950	600 × 600	13101041	17
Cable	950	600 × 800	13101042	17
i	★ 950	600 × 1000	13101043	17




Depth: 60 cm / 80 cm / 100 cm





	H(mm)	W×D(mm)	Order No.	U
duct	1172	600 × 600	13101013	22
Cable	1172	600 × 800	13101012	22
	* 1172	600 × 1000	13101011	22




Depth: 60 cm / 80 cm / 100 cm





	H(mm)	W × D(mm)	Order No.	U
duct	1395	600 × 600	13101051	27
Cable	1395	600 × 800	13101052	27
	* 1395	600 × 1000	13101053	27




Depth: 60 cm / 80 cm / 100 cm





	H(mm)	W×D(mm)	Order No.	U
duct	1616	600 × 600	13101039	32
Cable	1616	600 × 800	13101038	32
	* 1616	600 × 1000	13101037	32




Depth: 60 cm / 80 cm / 100 cm





	H(mm)	W×D(mm)	Order No.	U
duct	1840	600 × 600	13101061	37
Cable	1840	600 × 800	13101062	37
i	* 1840	600 × 1000	13101063	37




Depth: 60 cm / 80 cm / 100 cm





	H(mm)	W×D(mm)	Order No.	U
duct	2060	600 × 600	13101025	42
Cable	2060	600 × 800	13101026	42
	* 2060	600 × 1000	13101024	42



Depth: 60 cm / 80 cm / 100 cm





	H(mm)	W×D(mm)	Order No.	U
duct	2285	600 × 600	13101101	47
Cable	2285	600 × 800	13101102	47
	* 2285	600 × 1000	13101103	47

Equipment Rail Metal reticular door ▶ 1 Unit fixed tray Blank Panel ▶ PDU 2 Units fixed tray Movable tray Light Panel AC Fan Cable Holder Unit Fan Panel Duct Wheel & Stand Screws and nuts



Protective panel for covering the empty spaces inside the rack

Order No.	Order Description
13103301	1 Unit
13103302	2 Unit
13103303	3 Unit
13103304	4 Unit
13120405	Grooved blank panel (Duster specialized for cable entrance)



Order No. Order Description 13103501 — 19 inches' standard 1 Unit height Facility in special circumstances One SMD Lamp to the height of 30 cm Key switch Installable in both standing and wall mount racks Connection wire and jack



Order No.	Order Description
13103205	3 port
13103204	8 port
13103208	9 port

- ▶ 19 inches' standard
- 1 Unit height
- 8 ports with neon switch
 (Changeable electrical sockets and switch as per the customer demands)
- 2 m cable with earth wire
- Various sizes could be manufactured as per the customer's order to be installed vertically

Cable holder	
000	
A. O	

Order No.	Order Description
13103402	1 Unit
13103401	1 Unit
13120505	Cable holder hook

- For managing the cable on the rack's front or rear
- 5 hooks made out of ABS

Wheel and stand

Order No.	Order Description
13103582	Singular wheel
13103583	Lockable singular wheel
13103584	Basic double wheels
13103585	Lockable double wheels

Order No.	Order Description
13103570	Singular fan
13103571	Two fans
13103572	Three fans
13103573	our fans

- 19 inches' standard
- 1 Unit height
- ▶ 1 Fan (Could be increased to 4 fans as per the customer's order)
- 2 m cable with earth wire

Wheel and stand



Order No.

Order Description

13103504

Fan

- 220 volts
- 12*12 dimensions with special socket for easy installation & change

Screws & nuts



Order No.

Order Description

13103507

Screw & Nut

- Supplied in the packs of 50, appropriate for installing the equipment inside the rack
- > 50 screws No.6 to the length of 15 mm
- > 50+ special nuts
- 50+ special washers

Panel duct



Order No.

Order Description

13103306

1 Unit

13103307

2 Unit

For managing the cable on the rack's front or rear

1 Unit Fixed Tray

Order No.	Order Description
13103101	25cm depth
13103102	45cm depth
13103103	60cm depth

- ▶ 19 inches' standard
- Installable on both standing and wall mounted racks

2 Units Fixed Tray



Order No.

Order Description

13103104

35cm depth

- 19 inches' standard
- Installable on both standing and wall mounted racks

Movable Tray



Order No.

Order Description

13103105

-

- 19 inches' standard
- 35cm depth (Installable on all server racks)
- Two ball bearing slides